MARION TOWNSHIP PLANNING COMMISSION AGENDA

REGULAR MEETING July 25, 2023 7:30 PM

Virtual access instructions to participate in the meeting are posted on www.mariontownship.com

| Pledge of Allegiance: | | |
|---|--|---------------------------------------|
| Introduction of Members: | | |
| Approval of Agenda for: | July 25, 2023 Regular Meeting | |
| Unfinished Business: 1) GO#01-23 continue | June 27, 2023 Regular Meeting te plan for the building remodel PDR (Purchase Development Ricata Processing Industrial Districation | bump out and overhang ghts) ordinance |
| Special Orders: | | |
| Announcements: | | |
| Call for Public Comment: | | |
| Adjournment: | | |

Call to Order:

MARION TOWNSHIP PLANNING COMMISSION REGULAR MEETING JUNE 27, 2023 @ 7:30PM

PC MEMBERS PRESENT:

LARRY GRUNN - PC CHAIRPERSON

JIM ANDERSON - PC VICE CHAIRPERSON

BOB HANVEY - MARION TWP BOT REPRESENTATIVE

OTHERS PRESENT:

DAVID HAMANN - MARION TWP. ZONING ADMINISTRATOR

MEMBERS ABSENT:

CHERYL RANGE - PC SECRETARY

BRUCE POWELSON

CALL TO ORDER

Larry Grunn called the meeting to order at 7:30pm.

APPROVAL OF AGENDA

Jim Anderson made a motion to approve the June 27, 2023 agenda as presented. Bob Hanvey seconded. MOTION CARRIED

APPROVAL OF MINUTES

Jim Anderson made a motion to approve the amended May 23, 2023 Planning Commission meeting minutes with the changes. Bob Hanvey seconded. **MOTION CARRIED**

CALL TO THE PUBLIC

Dave spoke with John Enos about the current Planner situation and John said he will possibly send a new Planner to the next Planning Commission meeting in July.

Jim Anderson suggested that we look at other Consulting firms, just to explore our options.

Bob Hanvey suggested getting some feedback from the surrounding jurisdictions.

UNFINISHED BUSINESS

1) GO# 01-23 CONTINUE PDR (PURCHASE DEVELOPMENT RIGHTS) ORDINANCE UPDATE

The Commissioners discussed the changes listed below:

Page 7: 7.9 - #6

Page 7: 7.9 - #8

Page 1: LAST PARAGRAGH - replace "permanent" with "long term"

Page 8: 10.1 – 1st PARAGRAGH

Page 3: Change "parcel" to "land"

Page 3: "Value of Development Rights

Page 4: 5.2 - #2 Replace "That belongs" with "For"

Page 4: 5.2 - #10 "Reversionary Interest"

Page 9: 11.1 – OPTION 1 & 2 Jim Anderson will work on the wording for this section.

Page 3: 4.1 - #5 Who maintains the structure?

Dave will get the word document from John Enos so the Commissioners can make these changes.

Jim Anderson made a motion to table further discussion on this item until the next meeting. Bob Hanvey seconded.

MOTION CARRIED



2) CRYPTO ORDINANCE DATA PROCESSING INDUSTRIAL DISTRICT

Jim Anderson made a motion to table discussion on this item until the next meeting. Bob Hanvey seconded. **MOTION CARRIED**

3) REVIEW ATTORNEY LETTER ON FIVE TEXT AMMENDEMNETS

Gormley does not like certain sections of the Zoning Enabling Act. Gormley has no issues with the cargo containers or short-term rentals.

4) TXT #01-19 SHORT TERM RENTALS

Jim Anderson made a motion to remove this item from the agenda until an issue arises. Larry Grunn seconded. **MOTION CARRIED**

5) TXT #02-19 SIGNS FOR HOME OCCUPATION

Commissioners suggested the following changes:

PAGE 1/3: Remove "Home Occupation" and add "Only in RR and SR.

PAGE 2-3: 15.06 - #C Remove some of the language and re-word part of the text.

Dave Hamann will modify the language for this text amendment.

6) TXT #02-20 ACCESSORY STRUCTURES

Jim Anderson made a motion to recommend approval of <u>TXT #02-20 Accessory Structures</u> to the Marion Township Board of Trustees. Larry Grunn seconded. **MOTION CARRIED**

SPECIAL ORDERS


- Bob Hanvey said there is a new Bill being introduced for the Michigan Zoning Enabling Act.
- The Planning Commission Budget for 2023 was approved by the Board of Trustees.

CALL TO THE PUBLIC

Les Andersen talked about a publication made by another jurisdiction about rescinding/voiding ordinances.

ADJOURNMENT

Larry Grunn made a motion to adjourn the meeting at 9:52pm. Jim Anderson seconded. MOTION CARRIED



2877 W COON LAKE RD HOWEL, MI 48843 FA JOB #23038

CONSTRUCTION, INC.

oibuts.A.7

MARION TOWNSHIP HALL SENOVATIONS

DRAWING INDEX

T-001 яолест измвея 23038

THLE SHEET

TED CEILING PLAN

SCHAFER CONSTRUCTION, INC. SONSTRUCTION, INC. SONSTRUCTION, INC. PROBE STREET SUITE 100, BRIGHTON, MCHOAN 48116

F.A. studio, LLC.
2228 EVERGREEN ROAD SUITE 123 SOUTHFELD, MICHIGAN 48078
CONTACT: UNID BRINKNEER - SENERMONIC REASONS

F.A.studio





APPLICABLE CODE REQUIREMENTS:
THE MILITAGE HER STATEMENT OF THE MILITAGE
THE MILITAGE HER STATEMENT OF THE MILITAGE
THE MILITAGE HER STATEMENT OF THE MILITAGE
THE MILITAGE STATEMENT OF THE MILITAGE STATEMENT
THE MILITAGE STATEMENT OF THE MILITAGE STATEMENT
THE MILITAGE STATEMENT OF THE MILITAGE STATEMENT
THE MILITAGE STATEMENT OF THE MILITAGE STATEMENT O

CODE COMPLIANCE CHART

OCCUPANCY CLASSIFICATION:
- WORK AREA COMPLANCE METHOD (MRCEB 301.1.2)

OCCUPANCY CLASSIFICATION:

- USE GROUP 'B' RUSINESS

- PROR USE GROUP - 'B' (BUSINESS)

- NO CHANGES IN OCCUPANT CLASSIFICATION CLASSIFICATION OF WORK:
- ALTERATION - LEVEL 2 (MRCEB 504)

CONSTRUCTION CLASSIFICATION:

FIRE SUPPRESSION REQUIREMENTS:
- BUILDING (8 NOT PROTECTED BY AN APPROVED BUILDING AREA:

CIUSTING BUILDINGS ARE STEMRATED BY 3-HOUR FIRE WALLS, CACH SEPARATED AREA CAN NOT COST INFORMATION SOURCED BY PLANS SUBMITTED TO THE TOWNSING DATED 5.11-2020 AREHITED OF RECORD BRUCE WE CULLEN ARCHITECTS. TOWNSHIP HALL TOWNSHIP OFFICES TOWNSHIP FIRE STATION

4,082 2.F. + 524 5.F. = 4,810 3.F. WHICH IS LESS THAN 6,000 5.F. TOTAL FOR THAT PORTION OF THE DUILDING EXISTING TOWNSHIP HALL 4,092 5.F. TOWNSHIP HALL ADDITION 524 5.F.

MINIMUM NUMBER OF EXITS

-3. EXITS ARE PROVIDE (1982).
-3. THE AREA ALLONGHEET FABLE 1987 SO.
-3. THE AREA ALLONGHEET TO AN EXIT REGURED EXT DOOR STANDING THE WITH THE AREA TO FOUNDATION TO MAXIMUM OFFICE AND SARATION OF THE REFORD PROPERTY TO SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED THE DAD SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED THE AREA SERVED PURGE (1997.). THE ZEED SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED SARATION OF THE AREA SERVED PURGE (1997.). THE ZEED SARATION OF THE AREA SERVED PURGE (1997.). FIRE RESISTANCE RATINGS OF BUILDING ELEMENTS:

TANKTARA WALL STREET, ONE MAY EAST ON THE CONTROL OF THE CONTROL O

INTERIOR FINISH REQUIREMENTS:

-WAL AND CELLING (1982 THING 1983.19)
-PRETABLE
-CASES CHANG PREDOTENSE_: SHOKE-DIVIDIONICAL CLASS
-CHANG SPECIAL STATE
- ROAD C. FLANG SPECIAL STANCE; SHOKE-DIVIDIONICAL CLASS
-CHANG SPECIAL STATE
- ROAD SPACES CLASS C. CLANG SPECIAL STANCE; SHOKE-OFFICIOPHENT PLANG SPECIAL SPECIAL STANCE SPECIAL SPE - FLOORNG (MBC 804.4.1) - INTERIOR FLOOR FIMSHES

HITCHOR FAGOR INSURES
CLASS ON TO CORREY W DOC FAI THE REST
HOTE, AL WITTENBURLAND CELLING FROM TETHERS SWALL IN TESTED IN
WASA SENDEN RESTAL INTERIOR FLORE PRIORISES SHALL IN TESTED IN ACCORDANCE WITH
WASA SENDENT RESTAL


PLUMBING FIXTURE REQUIREMENTS:

1

FIRST FLOOR EGRESS PLAN

NO ADOTHONAL PLUMBING FIXTURES ARE PROPOSED AT THIS TIME. TOWNSHIP FIRE STATION

TOWNSHIP HALL 4,092 S.F. ADDITION-524 S.F. TOWNSHIP OFFICES 3,408 S.F.



CONSTRUCTION, INC.

SNOITAVC DON LAKE RD., MI 48843 JAH GIHSNWOT NO

| Except ondesty promise an expensive and except destroyed by the promise of the promise and except destroyed and except and except destroyed and except destroyed and except and except destroyed and except destroyed destroyed except destroyed except destroyed except destroyed except destroyed destroyed except destroyed destroyed except destroyed except destroyed destroyed except d |
|---|
| and processive for studies deriven problemly grown processes and professive programment to produce away processes and professive programment to produce away of addresses and professive processes and processes in professive processes whitest to processes and professive processes and pro- posed on addresses and processes and pro- sessive and professive processes and pro- sessive processes and processes and processes and pro- sessive processes and processes and processes and pro- position processes and processes and processes and pro- sessive processes and processes and processes and pro- sessive processes and processes and processes and pro- sessive processes and processes and processes and processes and pro- position processes and processes and processes and processes and pro- position processes and processes and processes and processes and processes and processes and pro- position processes and processe |

| | Seption includes specially fabricated casework units as follows. HPDL faced architectural casework. HPDL | Wood furting, blocking, shirts, and hanging strips for installing architectural casework urfers concealed with | belove casework installation. | 1. Abbreviations and Acremynta. | 1.1 HPDL: High-pressure decordors laminate | LPDL: Low-pressure decorative laminate (mermally tosed melanine). |
|--|--|--|-------------------------------|---------------------------------|--|---|
|--|--|--|-------------------------------|---------------------------------|--|---|

| | _ |
|-------------|----------|
| HOWELL, | |
| BENC | |
| IAAM | |
| | |
| | <u> </u> |
| | |
| /4/1103:084 | |
| | |
| | |

| 2 .2 | Gased Auminum Curtain Mais Fire Supplession | |
|------|--|--|
| | Contactor Responsibilities. Provide professional design and engineering services, including certifications when delegabled designs under some constitutions. | |
| _ | Engage a qualified design professional to design building components using performance requirements and design criteria indicated. | |
| 41 | Prepare and subrest documents for deferred submittal, sopred and prefet by quantized descrip protestorised, as required for opposed by eutrophies having jurisdictor for seah delegated descrip item. Submit no a timely mented to eved delevoral the Morx. | |
| - | Except for held quality assummer testing specified to be performed by the Owner, provide laboratory and finid name to necessary and sold defined not to be additional cost to the Owner. | |

| An execution copy was a contraction to the contraction of the contract | delegated design services provided as demonstrated by the seal and signature of the design professional |
|--|---|
| 2 | |

| _ | | | the state of the s |
|---|-----|-------|--|
| | 000 | ğ, | Section includes products and procedures or across agreement contract and are section included. |
| _ | - | 5 | Provide field modelups of Levis 21 and grit) and Levis 310kb grit) for Approval. Indicade size to on a minimum a |
| | ** | x š | Handeleid edge growing and polishing equipment to produce some results as feld grinding and polishing agus without noticeable differences. |
| | 0 | - | Treat at surface imperfections |
| | n | 10 | Mus patiching compound or grouf material with dust created by greading operations, manufacturer's this match color of adjacent condities withouts. |
| | | 6 | Fit surface imperfections including, but not limited to, holes, serface damage, small and micro cracks, pop-outs, and vexis with grout to elemente micro printing in finished work. |
| | - | 20 | VARIX compound and treatment until color differences between concrete surface and falses authors imply are not described and falses authors imply are not described and and the processing and the processi |
| | 7 | r 2 4 | Provide Liquid Censulier An aquevas sociation of alson dendra despoyent in one of the following hydrounies the preventates into control to surface and levels with calcum hydroide to provide permanent themical reaction the and demantes was surface of ceremitians portion of controls. |
| | • | | Sodum Silcate. |
| | ~ | ć1 | Potassaum Salcate. |
| | | | |

SECTION 06 41 00 - ARCHITECTURAL WOOD CASEWORK

| Setton values specially intrusied carenot units as lations. HPDL laced arthlectural casemon' HPDL laced courie Wood before, became, since, and homping slips for instaling articlicitural casework uriess conceasial within other con- belled casework unitstalism. | 1. Abbrevations and Acrehyma. | 5.1, HPDL: High-pressure decorative laminate | LPDL: Low-pressure decorative laminate (thermally fused melanine). | |
|---|-------------------------------|--|--|--|
| | | | | |

| MDD Meduna-density overlay | - | | | | Type and Thickness: As indicated an Door Schedule. |
|--|------------------|-------------------------------|---|-------------------------|--|
| WRF: Moresture resistant. | ri ri ri | Sunt | ASSIM E.SL. CLARK A OF NEPA 101, CLARK LIPRISHING ASSIM E. 100 | | The Court of the C |
| elecence grandards. Perform Work occording to standards specified for grades of entitlectural wood casework indicated | 4. SPRA | AY POLYURETA | | P.C. 29 | top Copyria. Invalid Copyria Copyria Copyria of James Copyria Copyria |
| on construction, finishes, installation, and other requirements and as specified herein, unless otherwise indicated. | 7.7 | Open Call Po | Open-Cel Poyuretiane Foam; Spray-applied polyurefrane foam uping water as a blowing agent | | top and the state of the state |
| Architecture Vocabrox Institute (AVA) / Architecture/ Woodwork Manufactorers Association of Canada (AVMAC) | | R-va | R-value: 3.4 per inch. | 6.1.3 | Controlled Controlled Inches Controlled |
| / Woodsonk Institute (WI) | 4.12 | Suit | Surface-Burners Operatoristics, ACTAR Else, Class Bior NFPA 101, Class III | u | Door Edge Prolie. Manufactulers standard for applicators muchies |
| 1. AWMAWMACAM - Architectural Woodwark Standards (AWS). | | N | | | Fire-Rated Doors, Per ANSI/201 ACSO 8 |
| 2. AWMACWK - North American Architectural Woodwork Standards (NAAWG). | S. Achie | save for Bondon | ble with insufation and air and water barrier materials, and with | 6221 | Heavy-Duty Level 2 and Physical Performance Level B, Model 1 - P |
| Quality Standard Comply with AvyyAvyAda Czvd (AVG) or AVARACN4 (NAAVG) standards in Crade or Grades specified | demo | printed capab | | 6.222 | Door Face Metal Thickness 18 gage, 0 DH2 inch, minimum |
| SCHOOL AND ATTERNATE FACED AROUTECTURAL CASEWORK | Comp | ply with impulate | pplication | 6223 | Type and Thichness: As indicated on Door Schedule |
| BING Control | indica | alog | | 6224 | Fire Rating: As indicated on Door Schedule. |
| Construction Type Frameless | 7 Place | bru nodeken e | after base for slab has been compacted, loosely lay intuitation units with and joints | 6225 | Top Closures: Inverted closure channel of seme material as face of |
| Cabnet Door and Drawer Front Interface Style Flush overlay | Stago | pered. Tightly at | staggered. Tightly abut adjecent units. | | and door laces aligned. |
| Faung for Exposed Extends Surfaces HPDs. | i | | | 0.000 | Court State Builties Manufactures absorbed for another plate also |
| Edgebending: PVC tape. | SECTION | 108 43 13 | SECTION 08 43 13 - ALUMINUM-FRAMED STOREFRONTS | | |
| Facing for Exposed Interior Surfaces HPDs. | | | 0 | C. S | |
| Edoebandha: PVC tope | Section includes | s extentor and en | | 623.1 | Praise Metal Treatness 10 gage, 0.000 mornism. |
| Semissipped Suffices Except Drawer Bodies, LPDL. | 1. Gene | eral Performano | | 6232 | Construction, Knocked down. |
| 1 Door and Drawer Edanbanding PVC tape. | OLIV. | entrout exceeding p | without secteding performance oritins of Mildre due to detective mandradure. However, increases, or carro concurs no | 6233 | Coor comments, Letti stopps to receive under presentation con- |
| Characteristics Pull lates | : | Mariana. | 1907. The seconds of embodement of the second sector of the second sector of the second secon | | seences in public door needs, keep more come or grounding or |
| the state of the s | - | Brown Landford | 1 | FRAME ANCHORS | |
| from adjacent compartments, university and tops. | 1.2 | Cameratana | Ricent construction. | Jomb A | Jorno Andriors, Met apparcable standard. |
| Traver Rodles | : | Caliera declar | | | Manority Type: Adjustable 1-50 pp. samp or wile type billio-and-semilip or |
| Transe Suprimers (Series and Solies Ballot british physical | | 3 | soundland litritis | | Dry-Wall Type. Designed to engage stud, wedges to pack to name. |
| Chawer Scatteric 144-act hardwood olywoo or tempered hardboard | 2 | Ä | Springer | 7.13 Eosto | Existing Opening Type. Per ANSI/SEX 151-F with liashead lasteners and o |
| Present Countriction Explicate with passaged travels fastened to subtreat with mountaing actions from reletion of body. | 1 5 | 1 | those caused by Special and shudding movements to | | Controlled by the controlled b |
| | 2 | 240 | - | 1004 | ASSET ANGLES I'VE Applicated basedood and as community. |
| Finish drawer bodies with manufacturers standard clear conversion varieth byttem (no dain) | 134 | , iğ | L.C.1 | | the british for distinguishing the property of |
| DECORATIVE LAMINATE COUNTERTORS | 135 | 907 | poserving or weakening of factioners, attachments, and other components | Astranats Procedu ove | Astranals. Proceds overlapping astransion on one lead of pairs of doors where indicated and v |
| Crade Cyston. | 1.36 | Sea | Soutent Inforce | NPPA 30 for line-perfor | APPA 100 for his-performance rating. Extend miramum 3/4 inch beyond edge of door on wh |
| Pront Edge Configuration, Self edge with wide fullifing to 1-12 rich Injuriess. | 137. | Fast | | mounted or as require | mounted or as required to comply with published listing of questing agency. |
| Back Edge: NAAWS Assembly 2. splesh matching deck, square edge at top with scribe, honbordal butt at deck. | * | Detegated | analysis by a 9. | Install per ANSI/SDI A. | install per ANSIGD's A250 11 and standards apecified. Install are-taind frames per NFPA. |
| Ends Splach, square edge at top, houzontal buff at deck | | guestied pit | quatiled professional engineer, using performance requirements and design orlens indicated. | | |
| Core Material of Sirvia: Manne plywood. | 1.5 | Structural Loads | npec | | |
| Install correspond and countertoon to comply with specified standards and to comply with same grade as flem to be | 151 | Š | Wind Loads: As andicated on Drawings | | |
| nytaled | 2 Defe | Defection of Framing Members. | g Members. | | |
| | 7 | Defection | Defection Normal to Wall Plane. Limited to 1/175 of crear span for spans up to 13 feet 6 indies and to 1/240 of | | |

SECTION 01 40 00 - QUALITY REQUIREMENT

SECTION 01 30 00 - ADMINISTRATIVE REQUIREMENTS

| | Section | Section includes cabinet and drawer hardware for architectural and manufactured cabinets. | | The second of th |
|--------------------|---------|--|-----|--|
| 1 | | and the same of th | | other taked comparents directly before them to loss man, his may much consisting them are a man |
| בל מ למסוונים | - | CASSITY SIGNOSTILL COMPTY WITH ANY SINE CHARLES SIGNIFICATION | | units directly below them to less than 1/10 inch. |
| adin and | ri | HINGES | - | Structural Test Performance: Proude aluminum-trained systems tested according to ASTM E 330 as follows: |
| | ล | (1) Concelled Hinges (European Style): 135 degrees of opening, self-downg | 3.5 | When texted at possible and negative wind-load design pressures, systems do not enderce deflection of |
| under the | | 2.1.1. Face Frame: ANSIGHMA 4156 0, 001663 | | spedied limits. |
| | | 2.1.2. Formatess: ANS/8H94A A156 0, DD1502. | 33 | When lessed at 150 percent of positive and negative wind-load design pressures, aystems, including an |
| | ri | STEEL | | do not evidence melatral failures, structural citatiess, and permanent deformation of main framing ments |
| | - | y Votre Pulla. Sara: maurical, solid metal. 4 inches long, \$15 inch in diameter. | | exceeding 0.2 percent of span |
| | • | DOOR CATCHES | 33 | Test Durations. As required by design wind velocity, but not fewer than 10 seconds. |
| | • | Magning catches, ANSIGHMA A158 P. B03141. | 4 | As initiators. Provide aluminum-inmed systems with maximum or leakage through fixed glazing and freming |
| | • | SMELFINESTS | | 0.00 chm/sq. ft, of fixed wall area when tested according to AUCIAI E. ILL at a minimum static-enspression direct |
| | | c | | tr Season e.Z. o |
| | , | | vi | Water Penetration under State Pressure. Provide administrative and systems that to not experte water pensor. |
| | | TOWNS OF THE PROPERTY OF THE P | | through fixed glazing and Remary areas when todaed according to A.J. M. L. J.J. at a resolution services present |
| when detectabled | ö | STRUCTURE TO DESCRIPTION OF THE PROPERTY OF TH | | difference of 20 percent of positive wind-load deadin president but not less titler our actual, in |
| nated described | 80 | Adjustable Rear-Mounted Shalf Standards and Supports: ANSUBHINA A156.9, 804 (02, with shell brackets. | ø | Extense Framing Members. Manufacturer's standard extruded-alumenum Itaning members of thickness requires |
| ments and | | 804.112, steel double tow doing standards and brookel showing support system; while spoky initial contrary | | renforced as required to support imposed loads. |
| | | aged for shell depity as mataked on Drawings | 6.1 | Construction. Thermally broken (poured and detrutited) |
| | 4 | DRAWER 3LIDES | 6 | Classer System Selected mechanically with peakets on four sides. |
| essena. es | 7 | (1 Crawer States ANSIBHMA A150 9 Crate 1, fall-extension type, zinc-plated steel | | Cleaner Bare As indicated |
| | 65 | rocks | | Particular Section of the format County and State of the |
| bery and lied | 10 | 11 Drawer and Deon Locks: ANSVBHMA A156.11, E07121 for deons, E07041 for drawers | ÷ | renkriged as required to support imposed loads |
| ne Owner | 10 | 8.2. Kaying incorporate decisions made in keying conformore | 7.5 | Construction: Northernal |
| or installation of | en . | 8.3 Quantity. Two keys per lock and six enester keys, unless otherwise required by Owner. | 22 | Clating System. Retained mechanically with gaskets on four sides. |
| | ø | COUNTERTOP SUPPORT BRACKETS | 7.3 | Caping Plane: As indicated |
| n professional and | 6 | Countertop Support Brackets: 1.1 shaped brackets with preditted mounting holes for wall insuming | 80 | Framing System Gaskets and Sealants: Manufacturer's standard, recommended by manufacturer for joint type |
| | | | | |

| of 10 Modern and a second and a |
|--|
| |
| of County Indian Indian State of the County |

SECTION 08 11 13 - HOLLOW METAL DOORS AND FRAMES

| | 3/8HMA A156 16, L03011 | | Exposed Hardware Finishes. For exposed hardware, provide linish that comples with ANSI/BHMA A156.18 for | | NOTE A STATE OF |
|-------------|---|----------|---|------------------------------|--------------------------------------|
| ACCESSORIES | Door and Drawer Stenoors, ANSJUDHMA A156 16, L03011 | FINISHES | Exposed Hardware Finishes. For exposed hardware | BHMA finish number indicated | NOITA HIGHI MANAGEMENT ON NO TO MORE |

| Heavy-Duty Level 2 and Physics Portomance Level B. Model 1 - Full Fil | 62.11. | Mineral-Wood Blanket, Unlaced, ASTM C 665, Type I. | 점 | |
|---|---------------|--|---------|---|
| Non-Rated Doors. | 129 | | 212 | |
| Interior Doors and Frames. Per ANSIGDI ACCOS. | 6.2. Inte | | 3.13 | |
| Construction Full profile welded. | 6122 | Class-Fiber Blanket, Unlaced, ASTM C 665, Type I. | 11 | |
| Frame Motel Thickness, 16 gage, 0.053 inth. minimum. | 61.21 | MINERAL-FIBER BLANKET INSULATION | 6 | |
| Exterior Frames | 0.12 | Downed Density of 4 (b) Cu. T. | 223 | _ |
| Door Edge Profite Manufacturers standard for application indicated | 6117 | | | |
| COOLD IN THE RIGHT WAS A PART OF THE PART | 0.1.0 | | • | |
| On other telephone flows of Come ACTIN C. 1967 | | Bookles 40 per mph | 100 | |
| Laminated Core PolyureTrane | 0115 | Mineral-Vices Board, Untsigna, ASTM C 612, Type 1A and 18. | H | |
| faces aligned | | 3. Nominal density of 4.23 lb/cu. 11 | 22 | |
| Top Closures. Flush and dogute channel of same material as face sheet | 6.1.14 | | 2,72 | |
| Door Face Metal Thickness: 16 gags, 0 053 inch, minimum | 6113 | | - | |
| Type and Thickness: As instituted on Door Schedule | 61.12 | 8 | | |
| Extra Heavy-Duty Level 3 and Physical Performance Level A. Model 2 - 5 | 61.1.3 | Clease Floor Board, Unlaced, ASTM C 612, Type IA, with maximum flame-spread and vinckle-developed indexes | 5 | |
| Doors | 6.1.1 | MINERAL FIBER BOARD INSULATION | ri Z | |
| Extense Doors and Frames: Per AkSVSDI A250 8 | 61 | Board Edgris, Square. | 5 | |
| STANDARD HOLLOW METAL DOORS AND FRAMES | 3 STANDARE | Fire Propagation Characteristics, Passes NFPA 285 lesting as part of an approved assembly | 1.6 | |
| Handware Preparabons, Setrictions and Locations. Per BHMA A150:115 and ANSUSDI A250 Sand | Handware P. | Suchace-Burning Characteristics: ASTM E.S.4. Class B or NFPA 101; Cleas R. | 1.3 | |
| | "CLAZING" | Revolue, 5 per inch | ij | |
| Isomper-resistant lasterners. Size stop herghts to comply with required edge bits on glazing units as | lamber-retail | The control of the co | - | |





SPECIFICATIONS

23038

23038 23038 SHELT NUMBER G-101

SPECIFICATIONS

1. Concernmentation in transmission and in the control of the cont

two Capen instances and an article and an article and instances and instances from your United and instances and instances from your West in 1000 As in the rest page 300 or what shot you cannot be less that when the facility and despited to treat thrown to less any and instances less and an article from the Table 1000 As the Capenda Free Table 1000 As the Capenda Table 1000 As th

MARION TOWNSHIP HALL RENOVATIONS

Соизтвистом, тис.

SECTION 08 71 00 - DOOR HARDWARE

| | 1615 | sur grass compared on. Flush End Cago, Provide Rush and caps made of architectural metal in the same finish as the devices As | | |
|------------|----------|--|--|--|
| | | | 7.4.1.1 Web Dapth: Maldring steel studs 7.4.1.1 Change States 1 forth his seven the other ancientations | |
| | 2 | | 7.4.1.3 Meest Trickness, Not less than after studs and designed to relist transverse loading in | |
| | 161.7 | Ventral Rod Esti Devicos, Where surface of concealed ventral rod out devices are used a ringers operangs, provide as less botten rod (LBR) urises, otherwise miskaried. Provide dust proof strikes where | Inner T | |
| | 6 | | | |
| | | | 7.4.5.3. Flange Wedit: 1-1/7. 7.4.5.3. Mani Telecome Matthew sheet shafe. | |
| | 16.2.9 | Qummy Pupit Bart. Nontherstoring push bar matching functional publications are built bar. Commissional Public Rail Ext Devices are avery Days. ANS/46/HAMA A1563. Crade 1 certified panic and five ext. | estap Top Te | |
| þ | | - | | |
| | | code consers was more or except the tocovery of their an Centers: Door dosers to be from one manufacturer, matering in design and style, with the same type door | 7.6 Furning Members 2 A MacChannel Charmets Calvacurés steel | |
| | | preparations and templates regardless of application or spring size. Growns to be non-hinded with full sized reverse includes and alternation information on inside of cover. | 7.6.2 Cupilit, As indicated on Drawings. | |
| | 273 | Standards Cloues to comply with U. HISC for Postere Pressure Fire Test and be U.L. listed for use of fire rated | 7.6.3 Medial Thomass, 30 mil | |
| | ; | | SHAZITYRALL FRAMING UTSTEMS Shaziwal Statz Hetrofield for fragetive members, content and and members, and framewatence-tated assembly | |
| | ž | | indealed. | |
| , | | of doxi, exposure to weather, and enticipated frequency of use. Where dosers are indicated for doors required to be accessible to the phratically handloapped, provide units completing with ANSI ICCA117.1. | 6.11. Depth: As indicated. 8.12. Metal Thickness, 30 mil | |
| | 17.5 | Closer Ams. Provide heavy duly, logged sleet closer arms unless otherwise indicated in Hardware Sets. | Chaffe | |
| £ | 17.0 | Closes shall not be installed on exterior or confor side of doors, where possible install dosers on door for | | |
| | 17.7 | | 9,2.1. God Supervisor System for Organia Board Ceitings; ACTA C BAS, dreds-hung system composed of main binams and | |
| | | spacers and drop pieles as required for proper installation. Provide through-boil and security type fastement as | cross-furting members that interlock. | |
| e (a | 8 | | CRACA MIRANA CO SC SO NOTECTES | |
| | | | | |
| 8 | 6 8 E | | indudes whenler grassm board | |
| | | | Reference Standards: Perform Work according to standards specified and as follows unless modified by requirements in the Cores of Discussion)s | |
| ŧ | 8 8 | | 1. American Society for Tiesting and Materials (ASTM): | |
| | | | 1.1.1 ASTM C.840. Standard Speculication for Application and Fernahing of Oypsum Board | |
| | e n | | 1.1.2. A3TM C019 Standard Practice for Use of Generals in Adaesacial Applications Outcome Association (Cal.) | |
| | Ē | Provide intumencent scale as indicated to meet ULIDC Standard for Positive Pressure Fire Tests of Door Assembles. | 12.1 GA-214, Levels of Oxpaum Board Florish. | |
| lation | ş | nd NPFA 272, Standard Methods of Fire Tests of Door Assemblers | 12.2 GA-216 Application and Finishing of Oppsum Panic Products | |
| jea jea | 1 | | | |
| | ECTIC | SECTION 09 22 16 - NON-STRUCTURAL METAL FRAMING | 12.4 CA-234 Control conference mercentalistic value appendix. | |
| 6 | | | 2. Fire Ressiance-Rated Aspertolies. For fire-resultance-rated assembles, provide materials and construction identical to | |
| 8 | 1 Re | | those tested in assembly indicated according to ASTM E 119 by an independent lesting agency | |
| | ě : | ad by requirements in the Contract Occurrents. American bear and sheat notation (8.5): | Control Jouriz: Invital where indicated on Drawings and do follows: If joint locations are not indicated, collect a approval for visual effect. | |
| | | American and and Licentrations (Note that American Specification for the Design of Cold-formor Steel Uniquital Members 1. A13) 3100-19. North American Specification for the Design of Cold-formor Steel Uniquital Members | 3.5. Install where partitions, wells, or cellings traverse construction joints (expansion), or building control alement) in | |
| | 11.2 | | | |
| | ij | Sheet Shud Manufacturer's Association (SSMA): | 3.2 inglet where parallened of dispinality construction men and remains the source pour. 3.3 At walls with uninformation of plants in defense, industrial control control points in do not exceed 30. | |
| | 121 | | | |
| | 127 | | 3.1 | |
| | 13 | Oppur | 3.4 At interior college with permeter fallet, intait so the air simentions between coviral portio of not except and rate. 3.4 and table area between control tents does not enced 2500 square feet. | |
| | 101 | 1 GA-216. Application and Pinsthing of Cypsum Panel Products. | 3.5 At interior celangs, without perforder relief, install so kinear dimensions between control joints do not exceed 30 | |
| | e ri | Non-structural cold-formed metal framing includes, but is not limited to the tollowing | | |
| ,,, | 5 5 | Interior repulsable sating well framing | 3.0. Install where certain framing manders change of ecition | |
| | : | mental transfer of the properties are sometimely required of Controller is questioned detection. | | |
| 5 are | a E | inderzional, as defined in Div. 01 Section "DELEGATED DESIGN REQUINEMENTS." to design non-invidural metal | backing malerial such as 5/8 non Type X growin board, mineral fiber, or other tested equivalent. Comply with | |
| | ai ; | raming, yang performance requirements and design chickly specified nefeth | CALCOD or CALCOD | |
| | 5 5 | Coles inter entities requirements are modelate, carryly wor and a solo and how or a solo. Description framing to mediate character at exercise, to allow for construction (definite). | 4 Indept Cypoum Board Filiato Levels: Felight positios for levels algorithms for the parties of the Community of Theoretical and the Community of the Community | |
| ь | 1 | Ceeyan framing to accommodate live load defection of prinsery building structure of 1 inch | sound-railed assemblies or plentoms | |
| | 3.6 | Design framing to support loads and moments imposed by wall-recurled items indicated on Drawings excluding. | | |
| | | but not landed to theavy tren, counters, whelving, cabinets, frustries, handfalls, grib buts, folial accessories, | | |
| | 57 | receiptment and bearing makes shall-well assembles to withstand the hall amoratours loads indicated for | Sound-rated assemblies. | |
| | | maximum unsupported partition heights indicated without taking and white maintaining on artight and smoke light | | |
| | | | | |
| | 3 | | 432 Urpomied areas. | |
| | 352 | | 4.3.3 Benné cabinetry | |
| | | Details of to display also enteresting and a cooping soon haves an opinion of the area and the became displayed | | |
| | 4 | 4. Structural Performance: Provide non-load bearing metal froming capable of writistanding design loads within limits and | 4.5. Level 4. Surfaces as fallows where exposed to view where lighting consistens are not critical, unless otherwise | |
| | : | under confidents widealthed Interest Descent Mand I and S. De and en El Linkedt adherentes mill collect | indicated | |
| | . 9 | Chefection Limits. | 4.5.7 Sunatos receiving list, versit, epigenol, and sam para sessor executions of chines in CA-214. 4.5.1 Invest 5 Sunature as follows where exposed to very where bigining conditions are chinal as defined in CA-214. | |
| . S | 9 | 1. bitence Parities Honzental Deflection Limit. U.000 for the and other right finishers. L/240 elsewhere | | |
| | 4 | 4.2.2 Interfor Cesting Framing Vertical Defrection Limit, LOSO | | |
| ž. | | Fire-Registance Ratings: For the-resistance-rated assemblers that throught-ale notices-bearing steel flaming, provide | 4.6.3 Surfaçes where lighting conditions are critical | |
| 8 | c # | materials and constructed totalises to varie total an establish muscolos, occurrent to recimil to 10 mm and an Vesting agency. | 4 G.4, Where indicated on Drawings | |
| | 0 | 6 STC-Raind Assembles For STC-caled assemblies, provide materiets and conntraction identical to those tested in | | |
| - | , | argamety indicated, according to ASTM E 90 and despated according to ASTM E.413 by an independent resping egency | | |
| 8 | \$ | WALL PRAMINU SYSTEMS State Stude (S). Punched studs of depths indicated and as follows. | | |
| 6 | 1, | | | |
| e Gre | 712 | | | |
| Strike | 2 | | | |
| | ij | Sleel B | | |
| | 52 | | | |
| 100 | 1 11 | Section of the second participation of the second s | | |
| 4 | 7.3 | | | |
| £ . | | follows | | |
| zi 5 | 12 | | | |

Monthly disease when mission they become their constants all is required to appropriate relations
 Monthly disease when mission to the property of their each feet property controlled to the property of the property

th dust proof strates for bottom boils. Or boils lib to maintening in Lieugith and U.L., listed for labeled fire doors and U.L. listed for windstorm orants where opplicable

develoring regards

2.2. When you will not 10 - 4.7. maked or heavy weight as quicked.


2.3. When you will not 10 - 4.7. maked or heavy weight as quicked.

2.3. The young will not 10 - 4.7. maked or heavy weight as quicked.

2.3. The young will not the young will not heavy weight as quicked.

2.3. The young will not heavy early restriction to heavy any or specified.

2.3. The young will not heavy early restriction to heavy any or specified as a fine young as a proper to heavy any or specified as a fine young as a fine young as a management bearing to you will not heavy any or specified sealy any of the young will be selected as a gloon or heavy any or specified sealy any or specified sealy any or produced weight seal as a produced will be selected as a propose of the young will be selected as a fine or should be selected with a selected seal and the selected or should be neglected as a possible or heavy and the selected seal and the selected or the selected selected as a possible or heavy and the selected selected as a selected or the selected selected as a possible or the selected and a selected or the selected or the selected selected as a selected will be selected as a selected or the selected or the selected selected selected selected selected as a selected or the selected s



23038 23038 3HEUT NUMBER D-201 CONSTRUCTION, INC. *JajeyoC* RENOVATIONS **ELEVATIONS** ALM GINGING TOWNSHIP HALL EXTERIOR DEMO DEMOLITION KEYED LEGEND

(E) REDOF ENDING MATTAN. 10 ALOW/10 SON WITH

(E) REDOF ENDING MADONG REPRI 10 FLOOR FLAW FOR


(E) REDOF ENDING MADONG REPRI 10 FLOOR FLAW FOR

(E) REDOF ENDING MADONG REPRI 10 ELEVAR SON REPURPED FLAM

(E) REDOF ENDING SHAFFER 10 ALOW/FOR CLIFT ST

(E) REDOF ENDING SHAFFER 10 ALOW/FOR SANDE

(E) REDOF ENDING SHAFFER 10 ALOW/FOR SANDER 10 A **\$** ٨ ١ 彩 (\$) (a) ۿ NORTH ELEVATION NORTH ELEVATION WEST ELEVATION EAST ELEVATION



СОИЗТВИСТІОМ, ІИС.









| RE | J. | CTED CE | REFLECTED CEILING LEGEND |
|--------|----------|--------------------------------------|---|
| SYMBOL | Ľ | TYPE | DESCRIPTION |
| | ZXe LAY. | ZX4 LAY-IN LED FIXTURE | REPER TO ELECTRICAL DRAWINGS FOR MORE INFO. |
| 0 | FIXTURE | AT LED RECESSED CAN LICHT FIXTURE | REFER TO ELECTRICAL DRAWINGS FOR MORE INFO |
| П | PCI-I | NEW 2'X4" ACOUSTICAL TILE | NÉW ACOUSTICAL TILE IN NEW SUSPENDED ACOUSTICAL CELUNG SYSTEM, REFER TO PHISHES FOR MORE INFO. |
| | Cowle 3 | NEW PAINTED G.W.B. CEIUNG | REFER TO FINISHES FOR MORE INFO. |
| | đ | TAG PANEL SYSTEM | TAG PANEL SYSTEM INSTALL T&G WOOD CEILING OVER EXISTING WOOD |
| - | | | |


GENERAL CEILING PLAN NOTES

| Ì | | NO | ES AS | 5 | |
|----|-----|---|--|---|-----------|
| | | A PROVIDE NEW TO MATCH FOR ANY DAMAGED CEILING TILE OR CRID DUE TO DEMOLITION | (TYPICAL THROUGHOUT), TOUCH-UP DAMAGED, MICKED OR SCRATCHED CEILING TILES AS | REQUIRED THROUGHOUT SUITE FOR CONSISTENT APPEARANCE. INSTALL IN CONRECT | |
| | | A CRID DUE | SCRATCHED | NCE INSTAI | |
| | | 11.0 | ĕ | ž | |
| J | ١ | ş | ñ | ā | |
| :1 | Į | ã | ž | ÷ | |
| ٠ | - 1 | ö | ρ | 핃 | |
| | | 븅 | ğ | 88 | |
| 1 | | ş | ş | 8 | |
| | | 9 | š | ĕ | |
| 1 | ļ | ž | Ā | ΞĘ | |
| i | | ő | ş | 5 | |
| | | Ĭ | Ξ | Ë | |
| S | 1 | A. | 둙 | ş | |
| , | | ž | ž | 5 | |
| | | ž | 8 | 윭 | |
| | | ¥ | 芸 | Ė | z |
| ; | | H | 3 | SE | 710 |
| j | | 8 | Š | ä | DIRECTION |
|) | | E. | E | æ | ã |
| | ١ | ۱ < | | | |









| Augustania (1995) Augustania (1996) | м' імс' |
|--|---------|
| oibuta.A.7 | 2030 |

• • • •

WATER WANDENGE WATER STANDING EBERGLASS (FRP) MUJA GOMA HOLLOWWERE HELGOTATED) HELGOTATED HATHWATERE (MEM)

(WEA) GOOM MOOD (EXISTING

> FRAME & GLASS PAGO ALUM JATSUVOJJOH OHITZIKS) (OSTADOJSA JATSUVOJJOH (WSM)

WOOD (EXISTAND)

SIZE

ŏ

WXHXTHK

100A METING ROOM
100B METING ROOM
100B METING ROOM
102B VITGHEN
11F ASSESSOR
11T CLERK & OEPUITY CLERK


3414 FEEROLASS (FRP) NEW MEFERZ OF WAR SUJC CONSTRUCTION


MARION TOWNSHIP HALL
RENOVATIONS
2837WCONILEME RD.
HOWELL IM 48843

DOOR SCHEDNIE

PROMINE THE STATE OF THE STATE

| GENERAL DOOM NOTES A CONTRACTOR TO VEREY WITH COMERS COUNTRY OF MANUALE DOORS & FRANCES COWERS | TO MATCH EX | FORTING FORTING FORTING FORTING FORTING FORTING FORTING FOR THE PROPERTY OF | | EXCECONO ONE CLARTER INCH (147) IN HEIGHT SHALL HAVE A 12 BEVEL DXOR CLOSERS | | ¥ | 28 I CONTRACTOR TO PROVIDE INDIVIDUAL KEYS FOR EACH KEYED LOCK SET. J. AT ALL MORTISE LOCK SETS - 14 TURN OF INTERIOR HANCKE RELEASES BOTH LOCK SET AND | | A LE DOBATIO STATE OF THE TOTAL ON THE THE | CONTRACTION 0. ALL DODG AND SIGLATE GUAZNIO SE TO ELOR LIAT TEMPERED SUAETY GLASS EXCEPT AT 0. ALL DODG AND SIGLATE GLAZNIO SE TO ANATOH THE WINDOWN STSTEE LOOPER REFERED TO THE EXTERIOR DODGES THE GLAZNIOS SET WARKING THE WINDOWN STSTEE LOOPER REFERED TO THE | TRAFFER OLUMN FRAME DE CANADA CHEMINION SAME SAME REFER TO DOOR TYPES FOR UIT 3/2E. O PROVIDE DANIELS FOR PINION STEEDTION OF DOOR AND FRAME O PROVIDE SAME SET FOR PINION STEEDTION OF DOOR AND FRAME | DOOR FRAME NOTES | TO THE WAY OF THE PROPERTY OF THE WAY OF THE | HOS, DOVINETAL SRAMES. • HG FR TO SPEC SECTIONS ON G. DO SERIES SHCET'S FOR MORE INFORMATION. | DOOR HARDWARE & FINISH NOTES | TO THE CONTROL OF THE | HINTER HINTON TON TON TOOR LEVIETS UN O RETER TO SIEGUECTIONE ON C. IN SERIES SHEETS FOR MORE INFORMATION RETER TO SIEGUECTIONE ON C. IN SERIES SHEETS FOR MORE INFORMATION | MOCK PLATED : STEEL 17" HIGH AT PUSH 3DE OF DOOR FINISH TO MATCH DOOR HARDWARE. | DOOR SCHEDULE KEYED NOTES | 1 DOUBLE DOUBLE HAVE DESIDES ALTERNET POUR ET 1975. COORTINATOR AND PHIETE COORTINATOR AND | APPROVE DUMMY KP PROVIDE F PUSH PUL PULLS OR |
|---|-------------|---|-----|--|---|------|--|----|--|--|---|------------------|--|--|------------------------------|--|--|---|---------------------------|---|--|
| | | 83-1143-7 | 2 | | | 6000 | | | | | | | | | | | | | | | 10 A |
| | | PLUM NUM | | 2 | | | | | | | | | | | | | | | | | Sk STUD w/ SHIN |
| | | OVERHEAD STOP | , , | 2 | 2 | 13 | | | | | | | | | | | | | | | 100 |
| | | BOWER THAT THE | | f | - | | | 1 | | | | | | | | | | | | | |
| | HARDWARE | FUSHIFULL ENTRY | 2 | l | l | H | | | | | | | | | | | | | | | ے قا |
| | HAR | JJUA (HSDA) | , | | | | | 1 | | | | | | | | | | | | | DOOR- SEE |
| | | жээээ • | | - | | | | | | | | | | | | | | | | | Sys |
| | | 1708.0490 | - | T | T | Ī | П | ٦ | | | | | | | | | | | | | SLOCKING AS |
| | | FLUSH EOLTS | ٥ | t | t | | H | Ť | | | | | | | | | | | | | S 8 |
| | | 3045549 138 HD1A1 | 0 4 | T | T | T | 10 | 9 | | | | | | | | | | | | | NO III |
| | | FRIVACY TEL HOTAJ | | t | t | | Ħ | 1 | | | | | | | | | | | | | N N N |
| | | LOCK SET VEYED | - | ,, | n | - | П | ٦ | | | | | | | | | | | | | OR VARIATIONS IN |
| | | STIUB THOUSAY | | | | l | | | | | | | | | | | | | | | NOTE, REFER TO ARCHITECTURAL, ELOOR PLAN FOR VARIATIONS IN WALL CONSTRUCTION BLOCK BLOCK RECORD RECO |
| щ | | STILIS THOREW | - | t | - | - | H | 1 | | | | | | | | | | | | | (PLAN) |
| DOOR SCHEDULE | \vdash | TVA3H EA4SVE | + | t | t | - | | | | | | | | | | | | | | | L FLOOR |
| 一百 | | 3917 | - | 1 2 | ī | 7 | ī | ī | | | | | | | | | | | | v. | DHITECTURAL |
| ÿ | | METAL KNOCKDOWN (MEW) | - | | f | f | H | | | | | | | | | | | | | YPE | NCHITE I |
| 2 | | WEAL MYOCKDOWN (EXISTING) RELOCATED) | + | 1 | t | + | 000 | 37 | | | | | | | | | | | | in E | ER TO |
| 8 | L | FREGGLASS (FRP) | + | † | + | - | | | | | | | | | | | | | | MAK | E REI |
| ă | SAME | 16831324 ID8363 | - | 1 | 1 | P | | | | | | | | | | | | | | ü | 2 |





FINISH SCHEDULE


ROOM NAME

MECH. O GREEN O LINES WAS A CONTROL O CONTROL

EVENT ROOM

BASEMENT INTERIOR FINISH PLAN





TOWNSHIP OF MARION LIVINGSTON COUNTY, MICHIGAN

PURCHASE OF DEVELOPMENT RIGHTS

ARTICLE I: INTENT, PURPOSE, AND SHORT TITLE

SECTION 1.1: INTENT AND PURPOSE.

The intent and purpose of the proposed Purchase of Development Rights (PDR) ordinance in Marion Township is to protect and preserve the valuable agricultural land, conserve natural resources, protect scenic and cultural heritage, provide landowner benefits, and promote community collaboration. The ordinance aims to create a framework that encourages voluntary land conservation, supports sustainable agriculture, and safeguards the rural character, environmental integrity, and quality of life in Marion Township for future generations.

- 1. Preservation of Agricultural Land. The primary objective of the PDR ordinance is to preserve productive agricultural land within Marion Township. By offering incentives to landowners, the ordinance seeks to encourage the permanent protection of farmland from non-agricultural development. This preservation ensures the long-term viability of the agricultural industry, promotes local food production, and maintains the rural landscape that is vital to the Township's identity and heritage.
- 2. Conservation of Natural Resources. Another crucial purpose of the PDR program is to conserve valuable natural resources and ecosystems. The ordinance aims to identify and protect environmentally sensitive areas, such as wetlands, forests, and wildlife habitats, by acquiring development rights from landowners. This conservation effort contributes to maintaining biodiversity, preserving water quality, and supporting the overall health and resilience of local ecosystems.
- 3. Scenic and Cultural Preservation. The PDR ordinance recognizes the importance of scenic beauty and cultural heritage in Marion Township. It aims to protect scenic vistas, historic sites, and cultural landscapes that contribute to the aesthetic appeal and tourism potential of the area.
- 4. Voluntary Participation and Landowner Benefits. The intent of the PDR program is to offer voluntary participation for landowners who wish to conserve their land. The ordinance provides landowners with financial compensation in exchange for the purchase of development rights, allowing them to retain ownership while restricting future non- agricultural development. This approach provides landowners with economic benefits, financial security, and the opportunity to maintain their agricultural operations or preserve the natural character of their property.
- 5. Community Collaboration and Planning. The PDR ordinance encourages community collaboration and engagement in land use planning. It aims to involve stakeholders, including landowners, residents, agricultural organizations, and environmental groups, in the development and implementation of the program. By fostering partnerships and leveraging local knowledge, the ordinance ensures that the PDR program aligns with community goals and values

SECTION 1.2: SHORT TITLE.

This ordinance shall be known and may be cited and referred to as the "Marion Township XXXXXXXXX and shall hereinafter be referred to as "this ordinance.

ARTICLE II: SCOPE AND APPLICATION

SECTION 2.1. INTERPRETATION.

The terms and provisions of this ordinance shall be interpreted and applied as minimum standards and requirements for the promotion and protection of the public health, safety, and welfare, and for the public peace and preservation of natural resources and public and private property within the township.

SECTION 2.2. LOGIC

This article has been created to provide for the establishment, financing, and administration of a purchase of development rights program to protect farmland, open space, natural areas, and other areas of eligible land as defined herein, in accordance with Public Act 110 of 2006, as amended.

SECTION 2.3. ACQUISITION

The acquisition of interests in farmland as provided in this Ordinance is a public purpose of Marion Township as provided in this Ordinance and financing such acquisition requires that the Township enter purchases or installment purchases not to exceed statutory limits.

ARTICLE III: DEFINITIONS

SECTION 3.1. DEFINITIONS.

For construction and application of this ordinance, the following definitions shall apply:

Agricultural Rights: An interest in and the right to use and possess land for purposes and activities related to open space, natural habitat, horticultural and other agricultural uses.

Agricultural Use. Land substantially undeveloped and devoted to the production of plants and animals useful to humans, including fruits, nuts, vegetables, greenhouse plants, Christmas trees and lumber, forages and sod crops, grains and feed crops, dairy and dairy products, livestock (including breeding and grazing), poultry and other similar uses and activities.

Board of Trustees: The Marion Township Board of Trustees.

Conservation value: The agricultural, natural, open space, scientific, biological, and ecological values of a parcel of property that are found to be worthy of protection.

Development: An activity that materially alters or affects the existing conditions or use of any land.

Development Rghts: The right to develop land to the maximum intensity of development authorized by law.

Development rights easement: A grant, by a legal instrument, whereby an owner relinquishes to the public the right to develop the land except as expressly reserved in the instrument, and which contains a covenant running with the land describing the easement terms, conditions, and development rights.

Full ownership: Fee simple ownership, or outright ownership of real property, including the ownership of all aspects of title, including the ability to transfer the totality of the title.

Intensity of development: The height, bulk, area, density, setback, use and other similar characteristics of development.

Other eligible land: Land that has a common property line with agricultural land from which development rights have been purchased and that is not divided from that agricultural land.

Owner: The party or parties who has/have legal title to or an equitable interest in the property.

Land: A measured portion of land that is described and included in a proposed agreement to acquire or transfer the purchase of development rights between the Township and owner of the land, in accordance with the provisions of this Ordinance.

Permitted use: Any use reserved within a development rights easement essential to the farming operation thereon or which does not alter the open space character of the land.

Value of development rights: The purchase price of the development rights shall be equal to or less than the appraised potential value of the land if fully developed less the current appraised value of the agricultural or open space land.

Historical Structure: means any building or structure listed by the Michigan State Historical Society on the Michigan State and National register of historic places. Historical Structure can also include a building or structure that the Township has designated under an enactment as having historical or architectural significance to the Township and its residents.

ARTICLE IV: ELIGIBILITY

SECTION 4.1. ELIGIBILITY, APPLICATION, AND REQUIRED INFORMATION.

Lands that may be considered for purchase of development rights shall exhibit at least one of the following characteristics:

- 1. Are currently used for agricultural and farming or have been used for such uses in the past and may immediately be returned to active agricultural and farming use.
- Contain woodland, trees, tree stands or wooded habitat.
- Contain wetland.
- 4. Contain 100-year floodplain, natural watercourse, lake or pond, or shoreline of a lake or pond.
- 5. Are currently open and void of all manmade structures such as dwellings, barns, garages, sheds, buildings, paved or unpaved roads or drives, and debris. Lands which contained such structures in the past may be eligible but only if all such structures have been removed prior to consideration and the land is open and void at the time of consideration. A special exception can be made by the Township Board, upon the recommendation of the Supervisor and planner, and the Planning Commission, to consider land which contains historic structures that have significance to the township overall. A special exception can be made by the Township Board or the Planning Commission or the Township Planner, to consider the land which contains the historic structures that have

significance to the Township and its residents. Historic structures include but not limited to country school house, early government building, country church, a historical barn, a historical family farm house, Centennial Family Farm. The ongoing maintenance of these historic structures will be the responsibility of the Township and its residents per the executed purchase of development rights agreement between the Township and the owner of the land and historic structure.

ARTICLE V: APPLICATION

SECTION 5.1. APPLICATION.

Any person may apply to the township for purchase of the development rights of his/her/their land. A person may apply by providing a request in writing accompanied by the required information as set forth herein. Application forms may be provided by the township and shall be used if available. Any application and review fees as required by resolution by the Township Board shall be paid at the time of application. The act of filing an application provides no assurance of approval and subsequent purchase of development rights.

1. The township may initiate the purchase of development rights by directing the Township Supervisor and township planner to explore the possibility of purchasing the development rights from a specific parcel. Such exploration shall include identification of the property owner, determining the owner's willingness to work with the township, and conducting an informal evaluation as to whether the property could be eligible and could meet the standards herein. If the exploration work finds that purchase of the development rights is possible, the Township Supervisor shall prepare or make arrangements for the preparation of a complete application as set forth herein. The township is not obligated to further pursue a self-initiated application, nor is the township obligated to approve or subsequently purchase the development rights.

SECTION 5.2. REQUIRED APPLICATION INFORMATION SUBMITTED BY THE OWNER FOR CONSIDERATION.

The following information is necessary and shall be provided for review by an applicant when considering any land for purchase of development rights:

- 1. Parcel identification number, legal description, and parcel size.
- 2. Copy of the title and deed for to the property, along with acompleted title search confirming rightful ownership of the property.
- 3. Identification of all rights-of-way or easements on the property, and any party with an interest in the property are disclosed
- 4.
- 5. Property value data including assessed value and estimated market value.
- Existing land use on and adjacent to the parcel.
- Identification of the significant natural features (wetlands, woodlands, trees, ponds, streams, rivers, habitat containing endangered or threatened species or species of special concern, etc.).

- 8. Identification of known environmental concerns on the property (e.g., evidence of buried waste, soil contamination, ground, or surface water contamination, etc.).
- 9. Survey of property by registered surveyor indicating parcel boundaries, location of buildings, walls, shelters, fences, bridges, trails, roads, and other built features.
- 10. Proposed types of development rights to be purchased (e.g., fee ownership, undivided interest, conservation restriction, retained life estate, reversionary interest).
- 11. Description of any rights the owner wishes to retain. Identification and explanation of mineral, oil and gas, or water rights that may exist.

SECTION 5.3. AUTHORIZATION.

The Township Board may purchase the development rights of land from willing property owners in Marion Township that is or was an active agricultural operation, open space, or natural areas as defined herein as intended by this article. The property interest acquired may be either the development rights, or any lesser interest, easement, covenant, or other contractual right. Purchase of development rights under this article may not be accomplished through condemnation. Participation in this program by a landowner shall be voluntary; the township shall have no authority to force a landowner to participate.

1. The Township Board is further authorized to participate, partner or contract with public, private, or nonprofit land conservation organizations or trusts to purchase, administer and enforce the rights obtained by the township under the PDR program.

ARTICLE VI: REVIEW PRODECURES

SECTION 6.1. THE BOARD OF TRUSTEES REVIEW AND RECOMMENDATION.

It shall be the responsibility of the Township Supervisor and township planner to determine whether an application is complete. For complete applications, the Township Supervisor and planner shall prepare a written report to the Planning Commission describing the case and provide a recommendation regarding the following:

- 1. Whether to purchase development rights.
- 2. Description of the development rights to be purchase.
- 3. A description of any future property developments, improvements, and maintenance if any that will be permitted after the development rights have been purchased by the Township.
- 4. The price at which development rights will be purchased and the method of payment.
- 5. A detailed accounting of funds to be used for the purchase of the development rights indicating the source(s) of the funds for the purchase (millage, donation, general fund, grant, etc.).
- 6. The procedures and legal documents to be used for ensuring that the purchase or sale of the development rights is designed

- to run with the land.
- 7. In preparing their report, the Township Supervisor and planner may consult with any other staff, consultants, agencies, and experts that may be necessary.
- 8. A summary of all documents and correspondence that may pertain to said purchase.
- A summary of all unique agreements or documents that were part of the negotiations of the sale.
- 10. Placeholder text
- 11. Placeholder text

SECTION 6.2. ATTORNEY REVIEW, COMMENT, AND RECOMMENDATION

SECTION 6.3. PLANNING COMMISSION REVIEW AND RECOMMENDATION.

The Planning Commission shall review the completed application and written reports provided by the Township Supervisor and planner. Upon completing its review, the Planning Commission shall make a recommendation to the Township Board based upon its findings and the requirements and standards in this article as well as the goals, policies and objectives of the township expressed in the master plan and adopted ordinances. A public hearing shall be called by the Planning Commission, in which case the hearing shall be noticed in accordance with the procedures set forth in article 4.00 of this Ordinance. The Planning Commission's recommendation shall be made only after the public hearing has been held. The Planning Commission shall recommend that the Township Board purchase or not purchase the development rights. Comment regarding the financing mechanism to purchase the development rights if recommended shall also be included.

SECTION 6.4. TOWNSHIP BOARD OF TRUSTEES REVIEW AND ACTION.

The Township Board shall review the application (which may be provided to the board in summary), written reports (which may be provided to the board in summary), and Planning Commission recommendation. Upon completing its review, the Township Board shall decide whether to purchase the development rights of the property under consideration or not and shall decide on the financing mechanism in which to purchase the development rights if the decision is to purchase. The decision of the Township Board is discretionary; the findings and recommendations by the supervisor and planner, and the Planning Commission, shall not obligate the Township Board to purchase or not purchase development rights.

ARTICLE VII: APPROVAL AND CONDITIONS.

SECTION 7.1. STANDARDS FOR APPROVAL.

When considering the purchase of development rights under the procedures set forth in this article, the following standards shall be followed for approving, modifying, or rejecting an application to purchase development rights:

SECTION 7.2. ELIGIBLE LANDS.

Only those parcels of land that meet or exceed the eligibility criteria as set forth in this article may be considered for purchase of development rights.

SECTION 7.3. ELIGIBLE RIGHTS.

The township shall only purchase the rights up to develop the land to the maximum opportunity of development for the current zoning designation at the time this article was adopted.

SECTION 7.4. PURCHASE METHODOLOGY.

The purchase price of the development rights shall be equal to or less than the appraised potential value of the land if fully developed less the current appraised value of the agricultural or open space land. The method of payment shall be determined in advance of the purchase of development rights. Any approvals or procedural requirements related to the method of payment must be secured separately and prior to the purchase of the development rights or made a condition to the approval thereof.

SECTION 7.5. CONFORMANCE WITH PDR CONCEPT.

The purchase of the development rights being considered shall be consistent with and promote the intent of the purchase of development rights concept as stated in this ordinance. The purchase shall also be consistent with the specific standards and requirements set forth herein.

SECTION 7.6. COMPATIBILITY WITH TOWNSHIP MASTER PLAN.

The purchase of the development rights being considered shall be compatible with the general principals, goals, objectives, and policies set forth in the adopted master plan.

SECTION 7.7. FARMLAND PRESERVATION, OPEN SPACE, AND NATURAL RESOURCE PRESERVATION.

The purchase of the development rights shall accomplish one or more of the following:

- Preservation of farmland from being developed with another use, enabling land to continue in agricultural or farm use.
- Preservation of open space for the visual, scenic, active recreation, or passive recreation enjoyment of township residents.
- 3. Preservation of a natural area to further the possibility of natural vegetative growth, wildlife habitat, and restoration of that natural area in the future.

All Applications Shall Abide by the following:

- Purchase Agreement. The purchase of the development rights shall be accomplished by a purchase agreement, or other equivalent instrument, that fixes the transaction to run with the land and is recorded with the register of deeds.
- Conformance to all applicable regulations. The application shall be made, and the purchase of development rights shall be carried out, in conformance with all applicable federal, state, and local laws and regulations.
- 3. Conditions of Approval. Any purchase of development rights made through this purchase of development rights program shall be set forth in a written agreement that is in recordable form suitable for recording. The purchase agreement shall specify the conditions of approval, including the following, at minimum:
 - a. Runs with the Land. The purchase agreement shall state that the conveyance of the development rights shall run with the land.
 - b. Rights Retained by Owner. The purchase agreement shall state the provisions by the owner to retain certain rights, including a detailed description of the retained rights, the right to convey the retained rights, and maintaining existing structures.

SECTION 7.9. PROHIBITED ACTIVITIES

Prohibited Activities. Any activity on or use of the property that is inconsistent with the purposes of this article or detrimental to the values being preserved is prohibited. By way of example, the following activities and uses are prohibited:

- 1. Any division or subdivision of the property.
- 2. Commercial or industrial use (for purposes of this provision, farming and agricultural use shall not be considered commercial or industrial).
- 3. Placement or construction of any buildings, structures, fences, walls, roads, parking lots or other improvements, unless expressly permitted.
- 4. Cutting down trees or vegetation, unless expressly permitted.
- 5. Mining or alteration of the land surface, except where mineral rights have been retained by another owner and where the other owner has explicit rights to mine on the property as previously disclosed in the application review process.
- 6. Dumping of hazardous, construction, household, equipment, mechanical waste or materials.
- 7. Alteration to natural watercourses, wetlands, or other natural water features.
- 8. Use of motorized off-road vehicles such as snowmobile, all-terrain vehicles, motorcycles, and the like are to be operated by the land owners only for the purpose of farming and/or maintaining the preserved property.
- 9. Construction of billboards and other advertising signs, and other signs as defined in Section 15.03.

ARTICLE VIII: ENFORCEMENT AND MONITORING.

SECTION 8.1. MONITORING AND ENFORCEMENT.

The purchase agreement shall provide the township or its agent with certain rights needed to monitor the protection of the rights purchased. These rights shall include:

- 1. The right to enter the property at least annually providing 48 hour notice of such visit and at reasonable times to monitor or enforce compliance with the conditions of approval and the purchase agreement. The township, however, shall not unreasonably interfere with the owner's retained rights on the property.
- 2. The right to prevent any activity or use of the property that is inconsistent with the conditions of approval and the purchase agreement.
- The right to require restoration of the areas or features of the property that are damaged by activity inconsistent with the conditions of approval and the purchase agreement. The township or its agent shall also have the right to conduct studies on the property to determine appropriate types of restoration activities if necessary.
- 4. The right to place signs on the property to indicate that the property is being protected under the terms of this PDR program.

SECTION 8.2. FURTHER ACTION.

In addition to, or in lieu of, seeking to enforce this ordinance by proceeding under Section 8.1 above, the township may institute an appropriate action in a court of general jurisdiction seeking equitable relief.

ARTICLE IX: ENHANCEMENT.

SECTION 9.1. ENHANCEMENT

The purchase agreement may provide the township with the right to engage in activities that restore the biological and ecological integrity of the property. Such activities may include inventorying plant and animal species on the property, planting native vegetation, removal of undesirable vegetation, etc.

ARTICLE X: DURATION.

SECTION 10.1. DURATION OF ACQUIRED INTERESTS.

It is the intent that the development rights acquired pursuant to this Ordinance shall be held in trust by the Township for the benefit of its citizens in perpetuity. However, after

the first 50 years from the execution of the purchase of development agreement have passed, the owner on record of the preserved property may make an application to the Planning Commission that the farmland described in the purchase of development agreement per this Ordinance has (a) become land locked with non-agricultural uses, (b) why with document evidence that farming is no longer feasible and (c) reasons why the release is for the public good of the Township residents. The Planning Commission will evaluate the feasibility of the farming by determining whether the land is no longer and never will be suitable for any kind of agriculture, with wooded land left fallow not necessarily to be considered unsuitable.

- 1. Upon receiving the recommendations of the Planning Commission, the Board of Trustees shall take final action on such recommendations. The Board of Trustees must support the request by the owner to repurchase development rights by a five-member majority of the total seven Trustees.
- 2. For those properties for which the Board of Trustees approves the return of development rights as specified in Subsection (1), the Planning Commission shall require an appraisal of the applicant's property interest (property rights) at the owner's expense. Payment for this appraisal shall be made by the owner in advance. After the appraisal is conducted, the value of development rights will be determined by two (2) follow up appraisals. One appraisal shall determine the fair market value of full ownership of the land (excluding buildings thereon), and one shall determine the fair market value of the agricultural rights plus any specifically retained residential development rights. Appraisals shall be made by State certified appraisers selected by the Planning Commission. The selected appraiser shall not have a property interest, personal interest, or financial interest in eligible lands.
- 3. Appraisals shall be in writing and shall be furnished to the respective owners for review. Errors of fact in any appraisal may be called to the attention of the appraiser by the Planning Commission or by owners of the property appraised, but corrections of the appraisal may be made only by the appraiser.
- 4. At any time in this process, the owner may choose to withdraw the request for the return of development rights without penalty, while still being responsible for the Township's appraisal of the property as specified above in Subsection (2).
- 5. If the Board of Trustees approves the return of development rights, the Township shall have a right of first refusal to purchase the remaining rights at the fair market value of the agricultural rights plus any retained

development rights, as determined by a State certified appraiser. Upon receiving the recommendations of the Planning Commission, the Board of Trustees shall take final action on such recommendations. If the Board of Trustees chooses to exercise this right of first refusal, an offer to purchase the remaining rights at the appraised value shall be submitted. Acquisition of lands shall not be made with funds authorized for development rights acquisition pursuant to this Ordinance. The owner may at that time choose to not sell the remaining rights and instead retain ownership of the property.

6. If (a) a request to re-purchase development rights is denied by the Board of Trustees, or (b) the landowner chooses not to sell the remaining rights the Township chooses to exercise its right of first refusal or (c) more than a year passes from the Board of Trustees' authorization for the repurchase of development rights, the landowner must wait five years before re- applying to re-purchase development rights.

7.

a. The Township may convey development rights acquired pursuant to this Ordinance to a conservation, open space preservation, historic preservation or similar organization under terms ensuring that the public benefits for which the Township purchased the development rights will be maintained.

ARTICLE XI: FINANCING

SECTION 11.1.

The Township Board of Trustees shall finance the PDR program through one or more of the sources identified in Section 509(1) of Public Act 110 of 2006, as amended, including: General appropriations by the Township; proceeds from the sale of development rights by the township subject to Section 508(3) of Public Act 110 of 2006, as amended; grants; donations; millage; bonds or notes issued under Sections 509(2)-(5); general fund revenue; special assessments under Section 509(6); and other sources approved by the legislative body and permitted by law.

The Township Board of Trustees shall create a Development Rights Acquisition Fund to be hereafter created in the office of the Treasurer of Marion Township. Any funds secured by the Township for purchasing development rights on farmland or open space shall be placed in the designated Development Rights Acquisition Fund. Money in such an acquisition fund may be temporarily deposited in such institutions or invested in such obligations as may be lawful for the investment of Township money. The funds and any interest received from the deposit or investment of such funds shall be applied and used solely for the purposes of purchasing development rights of land in the Township set forth in this Ordinance.

SECTON 11.2. RELATED COSTS.

The costs of appraisal, easement development, baseline documentation, legal and other services lawfully incurred incident to the acquisition of interests in eligible lands by the Township shall be paid by the Township. The Township shall not be responsible for expenses incurred by the owner incident to this transaction.

SECTION 11.3. SUPPLEMENTAL FUNDS.

Supplemental or matching funds from other governmental agencies or private sources may become available to pay a portion of the cost of acquiring development rights, or some lesser interest in eligible lands or to supplement or enlarge such acquisition. The Board of Trustees is hereby authorized to utilize such funds to purchase interests in eligible lands or to otherwise supplement Township funds in the manner provided by this Ordinance and in accordance with the applicable laws or terms governing such grant.

ARTICLE XII: SEVERABILITY

SECTION 12.1.

If any one or more sections, provisions, phrases, or words of this ordinance shall be found to be invalid by a court of competent jurisdiction, such holding shall not affect the validity nor the enforceability of the remaining sections, provisions, phrases, or words of this ordinance unless expressly so determined by the court.

ARTICLE XIII: NONEXCLUSIVITY

SECTION 13.1.

The prohibitions provided for in this ordinance shall be in addition to, and not exclusive of, other prohibitions and penalties provided for by other law, ordinance, rule and/or regulation.

ARTICLE XIV: ADOPTION

Provision of this ordinance shall take effect thirty (30) days from the date of publication in accordance with the statues of the State of Michigan.

The ordinance was unanimously adopted by the Township Board on ______2023, as verified by Tammy Beal, Marion Township Clerk.

SECTION 14.1.

MARION TOWNSHIP

DATA PROCESSING FACILITY ZONING ORDINANCE AMENDMENT

An amendment to the Marion Township Zoning Ordinance to amend and add definitions related to data processing facilities.

Marion Township Ordains:

SECTION 1. DEFINITIONS

Section 3.02 Definitions of the Zoning Ordinance is hereby amended to add the following definition for a "Data Processing Facility" which shall read, in its entirety, as follows:

Data Processing Facility: A building, dedicated space within a building, or group of structures located on one or more acres of land used to house a large group of computer systems and associated components, such as telecommunications and data processing systems, to be used for the remote storage, processing, or distribution of large amounts of data. Examples of such data include, but are not limited to, computationally intensive applications such as blockchain technology, cryptocurrency mining, weather modeling, genome sequencing, etc. Such facilities may also include air handlers, power generators, water cooling and storage facilities, utility substations, and other associated utility infrastructure to support operations.

SECTION 2. AMENDMENT OF ARTICLE X: INDUSTRIAL

ARTICLE X: INDUSTRIAL DISTRICTS

Section 10.01 LI: Light Industrial District

- A. Intent: It is the intent of the Light Industrial District (LI) to provide for a variety of light industrial uses, including manufacturing, processing, assembling, packaging, or treatment of products from previously prepared materials, as well as commercial establishments not engaging primarily in retail sales. Such industrial areas should be free of incompatible uses, and designed to avoid negatively impacting adjacent conforming uses.
- B. Uses Permitted By Right:

In the Light Industrial District, no building or land shall be used and no building or structure erected except for one or more of the following specified uses, unless otherwise provided for in this Ordinance. All uses permitted in this district are subject

to the requirements and standards of Article XVIII, Site Plan Requirements prior to initiation of the use or structure.

The following are uses permitted by right when conducted in a permanent fully enclosed building:

- 1. Light industrial establishments that perform assembly, fabrication, compounding, manufacture, or treatment of materials, goods, and products, including, but not limited to:
 - a. Jobbing and machine shops.
 - b. Fabricated metal products.
 - c. Plastic products, forming and molding.
 - d. Processing of machine parts.
 - e. Monument and art stone production.
 - f. Industrial laundry operations.
 - g. Wood products processing facility.
 - h. Printing and publishing.
- 2. Storage facilities for building materials, sand, gravel, stone, lumber, and contractor's equipment.
- 3. Grain and feed elevators, bulk blending plants and/or handling of liquid nitrogen fertilizer and anhydrous ammonia.
- 4. Commercial uses not primarily involved in retail sales as a primary use, including but not limited to building material suppliers (excluding concrete mixing), retail lumber yards including incidental millwork, farm implement dealers and repair.
- The manufacturing, compounding, processing and packaging of perfumes, pharmaceuticals, toiletries, and condiments (except fish, meat, fowl, vegetables, vinegar, and yeast).
- The manufacturing, compounding, assembling or treatment of articles or merchandise from the following previously prepared materials: bone, cellophane, fur, glass, hair, horn, leather, paper, plastics, precious or semi-precious metals or stones, zinc and aluminum pressure die casting, shell,

textiles, tobacco, wood (excluding planing mill), yarns and paint not requiring a boiling process.

- 7. Distribution plants, parcel delivery service, ice and cold storage plants.
- 8. Assembly of electrical appliances, electronic instruments and devices, radios and phonographs, including the manufacture of small parts, such as condensers, transformers, crystal holders, transistor and computer boards, and the like.
- 9. Laboratories, experimental or testing.
- 10. Public utility service yard or electrical receiving transforming station.
- 11. Coal yards.
- 12. Freighting or trucking terminals.
- 13. Freight yards.
- 14. Painting, upholstering, rebuilding, conditioning, body and fender work, repairing, tire recapping or retreading, and battery manufacture.
- 15. Industrial park, subject to the following conditions:
 - a. Permitted uses shall include all uses permitted by right within this district. Special uses identified in Section 10.01 D may be permitted, subject to the special use provisions of Article XVI.
 - b. The minimum required land area for an industrial park shall be twenty (20) contiguous acres.
 - c. The development of an industrial park shall be in accordance to an overall plan for development of the park, which plan shall be approved by the Township Planning Commission.
 - The developer shall provide within the industrial park a sanitary sewage system that shall be of sufficient size and design to collect all sewage from structures within the industrial park.
 - e. The developer shall provide within the industrial park a storm drainage system which shall be of sufficient size and design as will, in the opinion of the Township Engineer, collect, carry off and dispose of all predictable surface water runoff within and draining into the industrial park, and shall be so constructed as to conform with the statutes, ordinances and regulations of the

f.

State of Michigan, the Livingston County Drain Commissioner and the Township.

If a public water system is not available, the developer shall provide within the industrial park a potable water system that shall be of sufficient size and design to supply potable water to each of the structures to be erected in the development.

- i. The developer shall also provide a fire hydrant within four hundred (400) feet of each structure.
- ii. Such water system shall conform to the statutes, ordinances, and regulations of the State of Michigan, the Livingston County Health Department, the Livingston County Drain Commissioner and the Township.
- g. All industrial parks shall have direct access to a paved street or major thoroughfare.
- h. Provision shall be made for safe and efficient ingress and egress to and from public streets and highways serving the industrial park without undue congestion or interference with normal traffic flow.
- i. All points of vehicular access to and from public streets shall be located not less than seventy-five (75) feet from the intersection of any public street lines with each other.
 - ii. No part of any parking access and/or service area may be located closer than one hundred fifty (150) feet to any residential property line.
 - Parking, loading, or service areas used by motor vehicles shall be located entirely within the boundary lines of the industrial park.
 - Any industrial park adjoining any residential development shall be provided with a buffer zone of at least sixty (60) feet that shall be provided adjacent to the property line. Such buffer shall be planted with evergreen and other suitable plantings and used for no other purposes as provided in Section 6.13. A landscaped planting area shall also be provided along all street frontages that shall not be less than sixty (60) feet in width.
- Lighting facilities shall be required where deemed necessary for the safety and convenience of employees and visitors. These

facilities will be arranged in such a manner so as to protect abutting streets and adjacent properties from unreasonable glare or hazardous interference of any kind.

- m. Maximum building coverage on any lot within the industrial park shall not exceed forty (40) percent.
- n. Minimum lot sizes within an industrial park shall be one (1) acre.
- o. Minimum lot width within an industrial park shall be one hundred twenty (120) feet.
- p. Minimum yard setbacks within an industrial park shall be:
 - 1) Front yard: Forty (40) feet.
 - 2) Side yard: Thirty (30) feet.
 - 3) Rear yard: Forty (40) feet.

Minimum yard setbacks for lots, which abut property outside an industrial park, shall be as required for other uses in the district.

16. Landscape contractor's building, offices and yards as a use permitted by right.

C. Permitted Accessory Uses:

- 1. Accessory uses clearly appurtenant to the main use of the lot and customary to and commonly associated with the main use, such as:
 - a. Incidental offices for management and materials control.
 - b. Restaurant or cafeteria facilities for employees working on the premises.

D. Uses Permitted By Special Use Permit:

- 1. Asphalt and concrete batching facilities.
- 2. Billboards.
- 3. Communication towers.
- 4. Junkyards.
- 5. Data Processing Facility

- E. **Site Development Requirements:** The following minimum and maximum standards shall apply to all uses and structures in the LI: Light Industrial District unless they are specifically modified by the provisions of Article VI: General Provisions or Article XVII: Standards for Specific Special Land Uses; or as varied pursuant to Article V: Zoning Board of Appeals.
 - 1. **Minimum Lot Area:** No building or structure shall be established on any parcel less than four (4) acres except in an approved industrial park where minimum lot sizes shall be one (1) acre.
 - 2. **Minimum Frontage:** Each parcel of land shall have continuous frontage of not less than three hundred thirty (330) feet, except in an approved industrial park where each lot shall have continuous frontage of not less than one hundred twenty (120) feet.

3. Yard and Setback Requirements:

- a. Front yard: One hundred (100) feet.
- b. Side yard: Eighty (80) feet, except in the case where a side yard abuts a residential zoning district, in which case the minimum required side yard shall be one hundred fifty (150) feet.
- c. Rear yard: Eighty (80) feet, except in the case where a rear yard abuts a residential zoning district, in which case the minimum required rear yard shall be one hundred fifty (150) feet.
- d. See Section 10.01 B 15 *o* for the minimum yard and setback requirements in a planned industrial park.
- 4. **Maximum Lot Coverage:** Forty (40) percent.
- 5. **Maximum Height:** Unless otherwise provided in this Ordinance, no principal building shall exceed a height of forty (40) feet measured from the finished grade.

6. Performance Standards:

- a. External areas for storage shall be screened on all sides by an opaque fence of not less than five (5) feet in height.
- b. When a side or rear lot line abuts or is adjacent to property located within a residential district, a berm or buffer zone shall be required in addition to the minimum yard requirements,

specific driveways and plantings of which shall be determined through the site plan review process. (See Section 6.13.)

c. Sound:

i.

ii.

f.

Non-Residential. The intensity level of sounds shall not exceed the following decibel levels when adjacent to the following types of non-residential uses:

| Decibels | Adjacent Use | Where Measured |
|----------|----------------------|-----------------|
| 65 | Commercial | Common Lot Line |
| 70 | Industrial and Other | Common Lot Line |

Residential. The intensity level of sounds shall not exceed the following decibel levels when directly adjacent to residential uses, measured at the common lot line:

| Residential Noise Level Limits | | | | | | | | | | |
|--------------------------------|-----------------|--|--|--|--|--|--|--|--|--|
| Daytime Evenin | g Night | | | | | | | | | |
| (7 am–7 pm) (7-11 pr | m) (11 pm-7 am) | | | | | | | | | |
| 45 dB(A) 35 dB(A | A) 30 dB(A) | | | | | | | | | |

The sound levels shall be measured with a type of audio output meter approved by the Bureau of Standards. Objectionable noises due to intermittence, beat frequency, or shrillness shall be muffled so as not to become a nuisance to adjacent uses.

Vibration: All machinery shall be so mounted and operated as to prevent transmission of ground vibration exceeding a displacement of .003 of one inch measured at any lot line of its source.

Odor: The emission of noxious, odorous matter in such quantities as to be readily detectable at any point along lot lines, when diluted in the ratio of one volume of odorous air to four or more volumes of clean air so as to produce a public nuisance or hazard beyond lot lines, is prohibited.

Gases: The escape of or emission of any gas, which is injurious, destructive, or explosive, shall be unlawful and may be summarily caused to be abated.

i.

١.

- g. Glare and Heat: Any operation producing intense glare or heat shall be performed within an enclosure so as to completely obscure and shield such operation from direct view from any point along the lot line except during the period of construction of the facilities to be used and occupied.
- h. **Light:** Exterior lighting shall be so installed that the source of light shall not be visible and shall be so arranged as far as practical to reflect light away from any residential use, and in no case shall more than one (1) foot-candle power of light cross a lot line five (5) feet above the ground in a residential district.
 - Electromagnetic Radiation: Applicable rules and regulations of the Federal Communications Commission, in regard to propagation of electromagnetic radiation, shall be used as standards for this Ordinance.
- j. Smoke, Dust, Dirt and Fly Ash: Any atmospheric discharge requiring a permit from the Michigan Department of Environmental Quality or federal government shall have said permit(s) as a condition of approval for any use in this District.
- k. **Drifted and Blown Material:** The drifting or airborne transmission beyond the lot line of dust, particles, or debris from any open stock pile shall be unlawful and may be summarily caused to be abated.
 - Radioactive Materials: Radioactive materials shall not be emitted to exceed quantities established as safe by the U.S. Bureau of Standards, as amended from time to time.
 - Other Forms of Air Pollution: It shall be unlawful to discharge into the atmosphere any substance not covered in parts C, D, and H and in excess of standards approved by the Michigan Department of Environmental Quality.
 - Liquid or Solid Wastes: It shall be unlawful to discharge at any point any materials in such a way or of such nature or temperature as can contaminate any surface waters, land or aquifers, or otherwise cause the emission of dangerous or objectionable elements, except in accord with standards approved by the Michigan Department of Environmental Quality.

- o. **Hazardous Wastes:** Hazardous wastes as defined by the Michigan Department of Environmental Quality shall be disposed of by methods approved by the Michigan Department of Environmental Quality.
 - i. All storage of materials on any land shall be within the confines of the building or part thereof occupied by said establishment.
 - ii. Material which normally and reasonably is discarded from industrial uses of property may be stored outside of an enclosed building for a reasonable time provided that such storage areas are completely screened by an opaque fence of not less than five (5) feet in height.
- p. Any complaint alleging a violation of any of the following performance standards shall be accompanied by evidence which supports that allegation.
- 7. **Provisions of Article XIV:** Parking and Loading Requirements.
- 8. Provisions of Article XV: Signs.
- 9. Provisions of Article XVIII: Site Plan Review.
- 10. **Provisions of Section 6.16:** Environmental Protection Standards.

SECTION 3. SPECIAL USE STANDARDS

A new section entitled "Section 17.34 Data Processing Facility" is hereby added to the Zoning Ordinance which shall read, in its entirety, as follows:

The primary intent of the data mining ordinance is to establish guidelines and safeguards for the collection, storage, and use of data within our rural community. By implementing this ordinance, we aim to protect the privacy of our residents, ensure data security, and foster trust and transparency in data-driven practices.

Data Processing Facilities are considered special uses and are therefore are subject to the provisions of Article XVI, Special Use Permits, and other applicable provisions of the Ordinance. A Special Use Permit, and any conditions attached thereto, may be approved by the Township Board if all the criteria listed hereof are met.

- A. Locational Requirements: Data Processing Facilities are permitted in the Light Industrial Districts with a minimum lot size of four (4) acres.
- B. Performance Standards:

- a. Data Processing Facilities are considered a principal use and shall be the only principal use on a property at any one time.
- b. Shall not be located within an industrial park;
- c. At all times, sound levels at the property boundary may not exceed thirty (30) dB(A);
- d. A fence shall be installed around the perimeter with a minimum height of six (6) feet;
- e. Additional screening, such as a vegetative buffer, may be required at the discretion of the Planning Commission, per standards in Section 6.13.

ARTICLE XV: SIGNAGE

Section 15.05 Schedule of Sign Regulations

The schedule provided below summarizes the quantity, maximum area, maximum height, and minimum setback from existing road rights-of-way permitted for signage requiring a permit under this Section. Detailed requirements for the signs listed below are provided under subsections 15.06 and 15.07. Wherever conflict exists between the following schedule and the standards of those subsections, those subsections shall prevail.

| Sign | Number | Max. Area | Max. Height | Min. Setback |
|---|-------------------------|---|--------------------|---------------------|
| Signs in Residential Districts (Sec. 15.06) | | | | |
| Agricultural Product Signs | 1 | 20 s.f. | 4 ft. | 15 ft. |
| Farm Signs | 1 | 32 s.f. | 6 ft. ¹ | 15 ft. |
| Home Occupation & Home-Based Business Wall Sign, or | 1 | 4 s.f. | 4 ft. | n/a |
| Home-Based Business Freestanding Sign | 1 | 6 s.f. | 4 ft. | 15 ft. |
| Non-Profit Organization Signs | 1 | 32 s.f. | 6 ft. | 15 ft. |
| Residential Development Entranceway Signs | 2/entrance | 20 s.f. | 6 ft. | 15 ft. |
| Temporary Construction Signs | 1/frontage | 32 s.f. | 6 ft. | 15 ft. |
| Signs in Non-residential Districts (Section 15.07) | | | | |
| Awning and Canopy Signs | N/A | 25% of surface ² | n/a | per district |
| Free-Standing Signs | 1/frontage | ½ s.f. per foot of frontage ³ | 6 ft. | 15 ft. |
| Gasoline Price Signs | 1 | 20 s.f. | 6 ft. | 15 ft. |
| Marquee Signs | 1/frontage | 1½ s.f. per foot of building frontage | per district | per district |
| Menu Board Signs | 2 | 60 s.f. | 6 ft. | 15 ft. |
| Office or Industrial Development Entranceway Signs | 2/entrance | 36 s.f. | 6 ft. | 15 ft. |
| Temporary Construction Signs | 1/frontage | 32 s.f. | 6 ft. | 15 ft. |
| Time/Temperature/Stock Market Signs | 1/frontage | N/A ⁴ | 6 ft. ¹ | 15 ft. ¹ |
| Wall Signs | 1/frontage ⁵ | 1 s.f. per foot of building frontage ⁶ | see below | n/a |
| Window Signs | N/A | 25% of window area | n/a | n/a |

- 1. If sign is free-standing.
- 2. Such signs shall be counted in determining compliance with maximum permitted area of wall signage.
- 3. Not to exceed 32 s.f., unless premises contain multiple tenants, in which case 4 s.f. may be added per additional tenant, up to a maximum of 64 s.f.
- 4. Such signs shall not be counted in determining compliance with wall or free-standing sign area requirements.
- 5. Or one per tenant having individual public access.
- 6. Not to exceed 60 s.f., unless such signs are set back at least 150 ft., in which case such signs shall not exceed 200 s.f.

| | | , | |
|--|--|---|--|
| | | | |
| | | | |
| | | | |

- E. Residential Development Entranceway Signs: Permanent freestanding signs or signs affixed to decorative walls or fences identifying the entrances of residential developments such as subdivisions, apartment complexes, condominium communities, senior housing complexes, mobile home parks and similar residential uses, at a rate of two (2) per entranceway not to exceed a total of two (2), with a minimum setback from the street right-of-way of fifteen (15) feet, and not exceeding twenty (20) square feet in area and six (6) feet in height. Where such sign is placed upon a decorative wall or fence, the area of the sign shall be computed by measuring the area of the envelope required to enclose the lettering, graphics and border, if any, not the entire decorative wall or fence.
- F. <u>Temporary Construction Signs</u>: Temporary signs which advertise the construction of new residential subdivisions or similar permitted development, not to exceed thirty-two (32) square feet in area and six (6) feet in height. Such signs shall be removed immediately after the last available lot, home site or parcel is sold.